



Appendix A

USPTO PATENT FULL-TEXT AND IMAGE DATABASE

[Home](#)[Quick](#)[Advanced](#)[Pat Num](#)[Help](#)[Next List](#)[Bottom](#)[View Cart](#)

Searching US Patent Collection...

Results of Search in US Patent Collection db for:

ACLM/"any combination": 5464 patents.































Hits 1 through 50 out of 5464

[Next 50 Hits](#)[Jump To](#)[Refine Search](#)

PAT.
NO.

Title

- 1 [7,165,147](#) [\[T\]](#) [Isolated ordered regions \(IOR\) prefetching and page replacement](#)
- 2 [7,165,064](#) [\[T\]](#) [Systems and methods for retrieving data](#)
- 3 [7,165,048](#) [\[T\]](#) [Differential commission and electronic order matching process for the distribution of primary market fixed income securities](#)
- 4 [7,164,580](#) [\[T\]](#) [Plenum-based computer cooling system](#)
- 5 [7,164,518](#) [\[T\]](#) [Fast scanner with rotatable mirror and image processing system](#)
- 6 [7,164,347](#) [\[T\]](#) [Mannequin](#)
- 7 [7,164,290](#) [\[T\]](#) [Field programmable gate array logic unit and its cluster](#)
- 8 [7,163,906](#) [\[T\]](#) [Organochromium/metallocene combination catalysts for producing bimodal resins](#)
- 9 [7,163,695](#) [\[T\]](#) [Histidine copolymer and methods for using same](#)
- 10 [7,163,113](#) [\[T\]](#) [Vent disc with center knob](#)
- 11 [7,162,982](#) [\[T\]](#) [Hydraulic valve actuator for reciprocating engine](#)
- 12 [7,162,484](#) [\[T\]](#) [Method and system for hierarchical visibility marks for hierarchical elements in hierarchical database structure, filtering hierarchical elements, hide any hierarchical element not having either a user hierarchical visibility mark or a propagated hierarchical visibility mark](#)
- 13 [7,162,475](#) [\[T\]](#) [Method for user verification and authentication and multimedia processing for interactive database management and method for viewing the multimedia](#)
- 14 [7,162,451](#) [\[T\]](#) [Information content distribution based on privacy and/or personal information](#)
- 15 [7,162,363](#) [\[T\]](#) [Travel route mapping](#)
- 16 [7,161,454](#) [\[T\]](#) [Apparatus and method for cooling electrical transformers](#)
- 17 [7,161,286](#) [\[T\]](#) [Carbon nanotube array and method for making same](#)
- 18 [7,161,106](#) [\[T\]](#) [Switching device for flexible material](#)
- 19 [7,161,086](#) [\[T\]](#) [Portable electronic information and/or entertainment rendering devices carrier](#)
- 20 [7,160,813](#) [\[T\]](#) [Etch back process approach in dual source plasma reactors](#)

- 21 [7,160,532](#)  [Carbon nanotube array and method for forming same](#)
- 22 [7,160,531](#)  [Process for the continuous production of aligned carbon nanotubes](#)
- 23 [7,160,279](#)  [Rapid expansion tampon pledget comprising inverted coverstock and pleats](#)
- 24 [7,160,195](#)  [Propeller shaft assembly with tunable energy absorption feature](#)
- 25 [7,159,876](#)  [Vehicular snow ski steering keel bar](#)
- 26 [7,159,810](#)  [Food contact device](#)
- 27 [7,159,631](#)  [Protective cover for motor vehicle](#)
- 28 [7,159,500](#)  [Public network weapon system and method](#)
- 29 [7,159,374](#)  [Method and device for pressurizing containers](#)
- 30 [7,159,153](#)  [Semiconductor integrated circuit with security function](#)
- 31 [7,159,076](#)  [Cache operation with non-cache memory](#)
- 32 [7,158,975](#)  [System and method for storing and accessing data in an interlocking trees datastore](#)
- 33 [7,158,843](#)  [Modular software definable pre-amplifier](#)
- 34 [7,158,627](#)  [Method and system for inhibiting softswitch overload](#)
- 35 [7,158,508](#)  [Setting up calls over circuit and packet-switched resources on a network](#)
- 36 [7,158,440](#)  [FIFO memory devices having write and read control circuits that support x4N, x2N and xN data widths during DDR and SDR modes of operation](#)
- 37 [7,157,806](#)  [System and method for controlling and distributing electrical energy in a vehicle](#)
- 38 [7,157,612](#)  [Olefin production process](#)
- 39 [7,157,529](#)  [Multi-layered macromolecules and methods for their use](#)
- 40 [7,157,502](#)  [Polymerizable dental barrier material](#)
- 41 [7,157,416](#)  [Stabilization of enzymes](#)
- 42 [7,157,366](#)  [Method of forming metal interconnection layer of semiconductor device](#)
- 43 [7,157,282](#)  [Quality control material for reagentless measurement of analytes](#)
- 44 [7,157,112](#)  [Infrared reflective wall paint](#)
- 45 [7,157,068](#)  [Varied morphology carbon nanotubes and method for their manufacture](#)
- 46 [7,156,294](#)  [System for marketing leisure activity services through prepaid tickets](#)
- 47 [7,155,991](#)  [Method of measuring attributes of personal care articles and compositions](#)
- 48 [RE39,446](#)  [Power filter circuit responsive to supply system fault conditions](#)
- 49 [7,155,689](#)  [Design-manufacturing interface via a unified model](#)
- 50 [7,155,376](#)  [Traffic data management and simulation system](#)
-

USPTO PATENT FULL-TEXT AND IMAGE DATABASE

[Home](#)[Quick](#)[Advanced](#)[Pat Num](#)[Help](#)[Bottom](#)[View Cart](#)

Searching US Patent Collection...

Results of Search in US Patent Collection db for:

ACLM/"any permutation": 13 patents.

Hits 1 through 13 out of 13

[Jump To](#)[Refine Search](#)

PAT.
NO.

Title

- 1 [7,110,530](#) [\[I\]](#) [System and method for providing universal access to voice response systems](#)
- 2 [7,071,363](#) [\[I\]](#) [Structured catalyst bed](#)
- 3 [6,842,871](#) [\[I\]](#) [Encoding method and device, decoding method and device, and systems using them](#)
- 4 [6,766,489](#) [\[I\]](#) [Device and method of adapting turbocoders and the associated decoders to sequences of variable length](#)
- 5 [6,560,362](#) [\[I\]](#) [Encoding and interleaving device and method for serial or hybrid turbocodes](#)
- 6 [6,370,670](#) [\[I\]](#) [Interlacer, coding device, permutation method, coding method, decoding device and method and systems using them](#)
- 7 [5,887,354](#) [\[I\]](#) [Electronic level and leveling rod for use in electronic level](#)
- 8 [5,825,373](#) [\[I\]](#) [Raster operation lookup and execution](#)
- 9 [5,490,074](#) [\[I\]](#) [Constant delay interconnect for coupling configurable logic blocks](#)
- 10 [5,471,628](#) [\[I\]](#) [Multi-function permutation switch for rotating and manipulating an order of bits of an input data byte in either cyclic or non-cyclic mode](#)
- 11 [5,323,313](#) [\[I\]](#) [Design and implementation of drafting possible permutations of a set of text](#)
- 12 [5,230,064](#) [\[I\]](#) [High resolution graphic display organization](#)
- 13 [5,016,163](#) [\[I\]](#) [Parallel processing system including control computer for dividing an algorithm into subalgorithms and for determining network interconnections](#)

[Top](#)[View Cart](#)[Home](#)[Quick](#)[Advanced](#)[Pat Num](#)[Help](#)

USPTO PATENT FULL-TEXT AND IMAGE DATABASE

[Home](#)[Quick](#)[Advanced](#)[Pat Num](#)[Help](#)[Next List](#)[Bottom](#)[View Cart](#)

Searching US Patent Collection...

Results of Search in US Patent Collection db for:































ACLM/"any possible": 513 patents.

Hits 1 through 50 out of 513

[Next 50 Hits](#)[Jump To](#)[Refine Search](#)

- | PAT.
NO. | Title |
|--------------|--|
| 1 7,152,771 | T Device for adjusting the carrying position of a rucksack |
| 2 7,152,199 | T Method and apparatus for delineating data in an FEC-coded Ethernet frame |
| 3 7,150,639 | T Input and output device designed for being detachably mounted to an electronic equipment |
| 4 7,149,662 | T Automated selection of optical systems |
| 5 7,141,104 | T UV-absorbing ink composition for ink-jet printing |
| 6 7,129,366 | T Group of a novel anti-cancer compounds with specific structure |
| 7 7,124,083 | T Method and system for preselection of suitable units for concatenative speech |
| 8 7,123,381 | T System and method of trapping for correcting for separation misregistration in color printing |
| 9 7,109,364 | T Group of anti-cancer compounds with specific structure and their production method |
| 10 7,103,500 | T Apparatus and method for distance measurement with controlled modulation of emitted pulses |
| 11 7,100,581 | T Gas feeding system for an internal combustion engine, having a pressure reducing valve connected to the intake manifold |
| 12 7,099,019 | T Interface surface printer using invisible ink |
| 13 7,088,173 | T Adjustable multiport power/phase method and system with minimum phase error |
| 14 7,070,426 | T Electric outlet child safety cap |
| 15 7,065,546 | T Method of performing quantization within a multimedia bitstream utilizing division-free instructions |
| 16 7,065,537 | T Method and system for highly-parallel logging and recovery operation in main-memory transaction processing systems |
| 17 7,054,467 | T Information processing apparatus, information capturing apparatus, information integration apparatus, controller, object detector, and information processing method |
| 18 7,053,975 | T Liquid crystal device |
| 19 7,040,289 | T High pressure fuel accumulator |
| 20 7,035,201 | T Programmable transceiver structure of multi-rate OFDM-CDMA for wireless multimedia |

communications

- 21 7,034,936  Spectrometer
- 22 7,025,059  Inhaling device for dispersing powdered medicaments contained in a capsule through the respiratory tract
- 23 7,024,419  Network visualization tool utilizing iterative rearrangement of nodes on a grid lattice using gradient method
- 24 7,021,104  Device to absorb the axial loads generated on the rolls in a rolling stand
- 25 7,020,665  File availability in distributed file storage systems
- 26 6,996,675  Retrieval of all tag entries of cache locations for memory address and determining ECC based on same
- 27 6,993,088  Encoding scheme for producing magnetic field signals having desired spectral characteristics
- 28 6,988,717  Method and system for near saturation humidification of a gas flow
- 29 6,975,403  ON-LINE METHOD AND EQUIPMENT FOR DETECTING, DETERMINING THE EVOLUTION AND QUANTIFYING A MICROBIAL BIOMASS AND OTHER SUBSTANCES THAT ABSORB LIGHT ALONG THE SPECTRUM DURING THE DEVELOPMENT OF BIOTECHNOLOGICAL PROCESSES
- 30 6,971,308  Printing device for printing machines of various kind
- 31 6,940,312  Low switching power limited switch dynamic logic
- 32 6,928,373  Flexible vector network analyzer measurements and calibrations
- 33 6,919,403  Poly(ethylene phenylene ethynylene silylenes) comprising an inert spacer and methods for preparing same
- 34 6,916,828  Carbamates derivatived from arylalkylamines
- 35 6,909,353  Multi-directional control device
- 36 6,895,213  System and method for communicating with students in an education environment
- 37 6,882,991  Search method in a hierarchical object structure
- 38 6,882,244  Switching system for broadcast transmission
- 39 6,869,286  Language learning system
- 40 6,857,079  Integrated driver electronic (IDE) device power control
- 41 6,856,598  Communications system
- 42 6,845,159  Processing method and apparatus for converting information from a first format into a second format
- 43 6,843,833  Front opening unified pod and associated method for preventing outgassing pollution
- 44 6,830,026  Diagnostics system for tracing leaks from a gas-supply system and for checking operation of the valves forming part of said system
- 45 6,821,471  Method for the manufacturing of a plate
- 46 6,820,264  Data gather/scatter machine
- 47 6,812,471  Method of surface texturizing
- 48 6,810,715  In-situ leak testing of glovebox, isolator, or containment unit gloves
- 49 6,799,447  Cylinder lock-key-combination
- 50 6,769,251  Hydraulic system architecture for controlling steering
-

[Next List](#)

[Top](#)

[View Cart](#)

[Home](#)

[Quick](#)

[Advanced](#)

[Pat Num](#)

[Help](#)

USPTO PATENT FULL-TEXT AND IMAGE DATABASE

[Home](#)[Quick](#)[Advanced](#)[Pat Num](#)[Help](#)[Bottom](#)[View Cart](#)

Searching US Patent Collection...

Results of Search in US Patent Collection db for:

ACLM/"any possible combination": 17 patents.

Hits 1 through 17 out of 17

[Jump To](#)[Refine Search](#)

PAT. NO.	Title
1 7,103,500	Apparatus and method for distance measurement with controlled modulation of emitted pulses
2 7,099,019	Interface surface printer using invisible ink
3 6,928,373	Flexible vector network analyzer measurements and calibrations
4 6,919,403	Poly(ethylene phenylene ethynylene silylenes) comprising an inert spacer and methods for preparing same
5 6,617,335	Preparation and drug composition of bis-benzyl-isoquinoline class alkaloids
6 6,545,161	Substituted benzene compounds, process for their preparation, and herbicidal and defoliant compositions containing them
7 6,490,071	Method and apparatus for optimizing SBS performance in an optical communication system using at least two phase modulation tones
8 6,370,313	Method for recording information on the control track of a storage medium
9 6,355,799	Substituted benzene compounds, process for their preparation, and herbicidal and defoliant compositions containing them
10 6,342,897	Method and system for compensating for non-uniform color appearance of a display due to variations of primary colors
11 6,282,003	Method and apparatus for optimizing SBS performance in an optical communication system using at least two phase modulation tones
12 5,817,464	Fractionation method for nucleotide fragments
13 5,654,614	Single-motor setting and printing postage meter
14 5,602,353	Bridge saddle with adjustable intonation system
15 5,429,696	Process for producing a multilayered film composite from thermoplastic, coextruded plastic film webs
16 5,202,283	Technique for doping MOCVD grown crystalline materials using free radical transport of the dopant species
17 4,703,281	Clocking pulse generator

[Top](#)

[View Cart](#)

[Home](#)

[Quick](#)

[Advanced](#)

[Pat Num](#)

[Help](#)